


2020 Resurfacing - Alt Details

										Asphalt							Leveling/Patching/Tack							Striping							
Location No.	Road Name	Beginning Point	Ending Point	Roadway Length (mi)	4" Mill & Patch	Leveling	Pave (mm)	Milling (inches)	Overlay (inches)	Pavin g Width (lf)	Roadway (sy)	Turn Lanes and cul-de-sac (sy)	Total (sy)	9.5 mm (#/sy)	9.5 mm (tons)	12.5 mm (#/sy)	12.5 mm (tons)	Leveling (#/sy)	Leveling (tons)	Patching (sy)	Patching (tons)	Tack (gals)	Milling Variable (sy)	Shoulder Building (mi)	5" White Solid (lf)	5" Yellow Solid (lf)	24" Whit e (lf)	White Skip (GLF)	White Gore (sy)	RPM s (ea)	
ALT 1	Birmingham Road	SR-372	Address: 19810 Birmingham Hwy	1.100	X	X	12.5	profile	1.5	24	15,488	300	15,788			165	1,433	55	478	3,782	915	1,549	300	1.100	11,616	11,616					290
ALT 2	Old Orange Mill Road	Creek	Owens Store Road	0.667	X	X	9.5	profile	1.5	20	7,826	300	8,126	165	737			35	156	2,955	715	783	406	0.667	7,044	7,044	28	100	50	176	

2020 Resurfacing Project ALTERNATE BID #1 AND #2 Location Maps

Alternate Bid #1

Birmingham Road: From SR 372 to 19810 Birmingham Hwy



2020 Resurfacing Project ALTERNATE BID #1 AND #2 Location Maps

Alternate Bid #2

Old Orange Mill Road: From Creek to Owens Store Road

